For short implant placement, implant major diameter needs to be ≤ the bur (average diameter) at the 8mm laser mark. Please refer to page 16 in the Instructions for Use Manual.

In Ridge Expansion cases, please oversize your osteotomy and make sure that the crest diameter is equal to or larger than the implant major diameter.

In Hard Bone (Mandible), after Finishing the Full Osteotomy Preparation, Use the Next Larger Size Densah Bur to the 3mm Laser-Mark Depth to make sure the Osteotomy Crestal Diameter is Equal to or Larger than the Implant Major (Crestal) Diameter.


Use Densah Burs in full-step increments for Sinus Lift cases. Example: 2.0mm, 3.0mm, 4.0mm, 5.0mm

(2.3)

(3.3)

(4.3)

(5.3)





Use large block display to compare Bur identification system when using the schematic below for proper Bur usage

VT5 Set

(4.3)

(4.0)

(5.0)

○ VT8 Set

VS8 Set

Densifying Mode CCW (800-1500) RPMs / Cutting Mode CW (800-1500) RPMs Little Implant **Marc Nevins Company Soft Bone** Hard Bone (Mandible) In densifying mode make sure your osteotomy is 1.0 mm deeper than the actual implant final length. In extreme hard bone, utilize DAC (Densify After Cut) Protocol. Find protocol in IFU. Densah® Bur Densah® Bur Minor Major Ø **Pilot** Bur I Bur 2 Bur 3 Bur 4 Bur 5 Pilot Bur 2 Bur 3 Bur 4 Bur 5 Bur 6 Bur 7 Bur I Geometry Ø **Block Display Block Display** VT1525 VT2535* VT1525 VT1828 VT2535* **Tapered** 3.85 Pilot Pilot (2.0)(3.0)(2.0)(2.3)(3.0) $\bigcirc -\bigcirc -\bigcirc -\bigcirc$ $\bigcirc -\bigcirc -\bigcirc -\bigcirc$ - 🔴 -VT1828 VT2838* VT1828 VT2535 VT2838 VS3238* 4.2 Pilot Pilot **Tapered** (2.3)(3.3)(2.3)(3.0)(3.3)(3.5)-0-0-VT1828 VT2838 VT3848* VT1828 VT2535 VT2838 VT3545 VT3848 VS4248* 5.0 Pilot Pilot **Tapered** (2.3)(3.3)(4.3)(2.3)(3.0)(3.3)(4.0)(4.3)(4.5) $\bigcirc -\bigcirc -\bigcirc -\bigcirc$ VT1828 VT2838 VT3848 VT4858* VT1828 VT2838 VT3545 VT3848 VT4555 VT4858 VS5258* Pilot Pilot 6.0 **Tapered**

(2.3)

(3.3)

(5.3)

(5.5)


^{*}Denotes implant placement.

For short implant placement, implant major diameter needs to be ≤ the bur (average diameter) at the 8mm laser mark. Please refer to page 16 in the Instructions for Use Manual.

In Ridge Expansion cases, please oversize your osteotomy and make sure that the crest diameter is equal to or larger than the implant major diameter.

In Hard Bone (Mandible), after Finishing the Full Osteotomy Preparation, Use the Next Larger Size Densah Bur to the 3mm Laser-Mark Depth to make sure the Osteotomy Crestal Diameter is Equal to or Larger than the Implant Major (Crestal) Diameter.

Use Densah Burs in full-step increments for Sinus Lift cases. Example: 2.0mm, 3.0mm, 4.0mm, 5.0mm





Use large block display to compare Bur identification system when using the schematic below for proper Bur usage

VT5 Set

○ VT8 Set

VS8 Set

Densifying Mode CCW (800-1500) RPMs / Cutting Mode CW (800-1500) RPMs

Little Implant Company			Perfor	Performance															
			Soft Bone								Hard Bone (Mandible)								
										In densifying mode make sure your osteotomy is 1.0 mm deeper than the actual implant final length. In extreme hard bone, utilize DAC (Densify After Cut) Protocol. Find protocol in IFU.									
Geometry	Major Ø	Minor Ø	Pilot	Bur I	Bur 2	Bur 3	Bur 4	Bur 5	Densah® Bur Block Display	Pilot	Bur I	Bur 2	Bur 3	Bur 4	Bur 5	Bur 6	Bur 7	Densah® Bur Block Display	
Tapered	3.75		Pilot	VT1525 (2.0)	VT2535** (3.0)	_	_	_		Pilot	VT1525 (2.0)	VT1828 (2.3)	VT2535** (3.0)	_	_	_			
Tapered	4.2		Pilot	VT1828 (2.3)	VT2838* (3.3)	_	_	_		Pilot	VT1828 (2.3)	VT2535 (3.0)	VT2838 (3.3)	VS3238* (3.5)	_	_			
Tapered	5.0		Pilot	VT1828 (2.3)	VT2838 (3.3)	VT3848* (4.3)	_	_		Pilot	VT1828 (2.3)	VT2535 (3.0)	VT2838 (3.3)	VT3545 (4.0)	VT3848 (4.3)	VS4248* (4.5)			
Tapered	6.0		Pilot	VT1828 (2.3)	VT2838 (3.3)	VT3848 (4.3)	VT4858* (5.3)	_		Pilot	VT1828 (2.3)	VT2838 (3.3)	VT3545 (4.0)	VT3848 (4.3)	VT4555 (5.0)	VT4858 (5.3)	VS5258* (5.5)		

^{*}Denotes implant placement.

10548 REV01


^{*}Clinician judgement and experience should be applied in conjunction with this suggestive Implant Drilling System

For short implant placement, implant major diameter needs to be ≤ the bur (average diameter) at the 8mm laser mark. Please refer to page 16 in the Instructions for Use Manual.

In Ridge Expansion cases, please oversize your osteotomy and make sure that the crest diameter is equal to or larger than the implant major diameter.

In Hard Bone (Mandible), after Finishing the Full Osteotomy Preparation, Use the Next Larger Size Densah Bur to the 3mm Laser-Mark Depth to make sure the Osteotomy Crestal Diameter is Equal to or Larger than the Implant Major (Crestal) Diameter.

Use Densah Burs in full-step increments for Sinus Lift cases. Example: 2.0mm, 3.0mm, 4.0mm, 5.0mm





Use large block display to compare Bur identification system when using the schematic below for proper Bur usage

VT5 Set

○ VT8 Set

VS8 Set

	Densifying Mode CCW (800-1500) RPMs / Cutting Mode CW (800-1500) RPMs																	
Little Ir Compai	Pamel	Pamela Ray																
	Soft Bone								Hard Bone (Mandible)									
								In densifying mode make sure your osteotomy is 1.0 mm deeper than the actual implant final length. In extreme hard bone, utilize DAC (Densify After Cut) Protocol. Find protocol in IFU.										
Geometry	Major Ø	Minor Ø	Pilot	Bur I	Bur 2	Bur 3	Bur 4	Bur 5	Densah® Bur Block Display	Pilot	Bur I	Bur 2	Bur 3	Bur 4	Bur 5	Bur 6	Bur 7	Densah® Bur Block Display
Extra Tapered	3.85		Pilot	VT1525 (2.0)	VT2535** (3.0)		_			Pilot	VT1525 (2.0)	VT1828 (2.3)	VT2535** (3.0)	_	_	_	_	

^{*}Denotes implant placement. *Clinician judgement and experience should be applied in conjunction with this suggestive Implant Drilling System.

(**) Only take the Densah Bur to the (5mm laser mark) depth to slightly open up the crestal diameter to avoid any possible excessive crestal bone strain during implant placement.

10548 REV01